



Express Mail Certificate

Applicant: Bower et al.

Application: Current Control Device

SERIAL No.: 10/810,521

Express Mail No.: EL948277530US

Date of Deposit: March 16, 2005

I hereby certify that this Reply to Office Action is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date shown above and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

A handwritten signature in cursive script, appearing to read "Michael G. Crilly".

Michael G. Crilly
Patent Attorney
Registration No. 44,631

3-17-05

Ifw



**IN THE UNITED STATES PATENT AND
TRADEMARK OFFICE**

In re Application of:

Bruce Bower et al.

Serial No.: 10/810,521

Filed: March 26, 2004

Title: Current Control Device

Group: 2832

Examiner: Karl D. Easthom

REPLY TO NOTICE OF NON-COMPLIANT AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Legal Instruments Examiner:

In reply to Notice dated March 10, 2005, Applicant's response includes a listing of withdrawn claims not provided with original amendment.

Only the corrected section of the non-compliant amendment document is re-submitted as required by the Notice. The entire "Amendments to the Claims" section of the Applicant's amendment document is re-submitted and begins on page 2 hereof.